











A O P F A S T

Wheel Bolt & Stud Catalog













Aopfast Reference	Image	Part Interchanges	Size	Fits Vehicles
W3-005		Suzuki 0911912005	M12-1.25 Non-Serrated Wheel Stud With Clip Head - 12.04mm Knurl, 38mm Length	Suzuki Samurai 1988-86
W3-003		Suzuki 0911912003	M12-1.25 Non-Serrated Wheel Stud With Clip Head - 12.09mm Knurl, 34mm Length	Suzuki Samurai 1988-86
W1-003		Honda 90113634003	M12-1.25 Serrated Wheel Stud - 12.40mm Knurl, 33mm Length	Honda Accord 1981-76, Honda Civic 1979-73
W3-007		Suzuki 0911912007 Suzuki 0911912011 General Motors 96057612 General Motors 96062532	M12-1.25 Serrated Wheel Stud - 12.45mm Knurl, 33.5mm Length	General Motors 2000-89, Suzuki 2001-89
W3-008		Suzuki 0911912008 Suzuki 0911912012 General Motors 96057613 General Motors 96062533	M12-1.25 Serrated Wheel Stud - 12.45mm Knurl, 37.5mm Length	General Motors 2008-89, Suzuki 2017-89
W3-049		Suzuki 0911910049 General Motors 96055156	M10-1.25 Serrated Wheel Stud - 10.24 Knurl, 29mm Length	Chevrolet Metro 1992, Chevrolet Sprint 1988-85, Geo Metro 1994-89, Pontiac Firefly 1994
W1-020		Subaru 23621GA020	M12-1.25 Serrated Wheel Stud - 12.45mm Knurl, 43mm Length	Subaru XT 1991-88
W3-000		Datsun/Nissan 4022218000	M12-1.25 Serrated Wheel Stud With Clip Head - 12.56mm Knurl, 37.5mm Length	Nissan 1200 1973-71, Nissan 210 1982-79, Nissan B210 1978-74







Aopfast Reference	Image	Part Interchanges	Size	Fits Vehicles
W3-800		Nissan 4022215000 Nissan 4022215C00 Datsun/Nissan 40222A0800 Datsun/Nissan 4322206R00	M12-1.25 Serrated Wheel Stud - 12.83mm Knurl, 41.5mm Length	Infiniti 2006-90, Nissan 2022-68, Suzuki 2012-09
W3-101		Nissan 40221M7000 Nissan 40221M7001 Nissan 40221M7100 Nissan 40221M7101 Nissan 40222M7001	M12-1.25 Serrated Wheel Stud - 12.90mm Knurl, 35mm Length	Nissan 1990-79
W3-001		Nissan 4022215C01 Nissan 432220B001	M12-1.25 Serrated Wheel Stud - 12.90mm Knurl, 45.5mm Length	Infiniti J30 1995-93, Nissan Quest 1998-93, Nissan Van 1988
W3-200		Nissan 40221M0200 Nissan 4022222001 Nissan 402228B400 Nissan 40222D0100	M12-1.25 Serrated Wheel Stud - 13.00mm Knurl, 32mm Length	Infiniti 2003-97, Nissan 2022-09, Nissan 2004-68
W1-002		Subaru 623603002 Subaru 623603021 Subaru 699900131 Subaru 699900981 Subaru 699900991	M12-1.25 Serrated Wheel Stud - 14.27mm Knurl, 30.5mm Length	Subaru 1995-72
W1-107		Ford F3XY1107B Ford XF5Z1107AA Nissan 402220B005 Nissan 402227B000	M12-1.25 Serrated Wheel Stud - 14.28mm Knurl, 46mm Length	Infiniti 2010-04, Mercury 2002-93, Nissan 2023-04, Nissan 2002-93, Suzuki 2012-09
W3-B00		Nissan 4322221B00 Nissan 4322221B60 Nissan 4322225B60 Nissan 4322228B10 Nissan 4322241B00	M12-1.25 Serrated Wheel Stud - 14.35mm Knurl, 42mm Length	Infiniti 2023-90, Nissan 2023-90, Suzuki 2012-09
W1-001		Subaru 28005AA001 Subaru 28055AA001 Subaru 28055AA002 Subaru 28055AA003	M12-1.25 Serrated Wheel Stud - 14.43mm Knurl, 41.5mm Length	Subaru 2009-90







Aopfast Reference	Image	Part Interchanges	Size	Fits Vehicles
W1-005		Honda 90113S5H005 Honda 90113SA0003 Honda 90113SA0005 Honda 90113SA0006 Honda 90113SA0013	M12-1.50 Serrated Wheel Stud - 12.22mm Knurl, 36mm Length	Acura 2021-86, Honda 2022-80
W1-400		Honda 90163SM4000 Honda 90163SM4003 Honda 90163SM4005 Honda 90163SV1A01	M12-1.50 Serrated Wheel Stud - 12.30mm Knurl, 34mm Length	Acura CL 1997, Acura TL 1998-95, Acura Vigor 1994-92, Honda Accord 1997-90
W1-205		Honda 90113SD2005	M12-1.50 Serrated Wheel Stud - 12.34mm Knurl, 48mm Length	Acura Integra 1989-86, Acura TL 1997-96
W3-860		Isuzu 5862044860 Isuzu 5862044870 Honda 90113S84901 Honda 90113SD4900 Honda 90113SD4901	M12-1.50 Serrated Wheel Stud - 12.37mm Knurl, 42mm Length	Acura 2021-86, Honda 2022-92, Isuzu 1999-96
W3-861		Isuzu 8944713861 General Motors 94024217 General Motors 94210786 Opel 94220777	M12-1.50 Serrated Wheel Stud - 12.50mm Knurl, 39.5mm Length	Buick 1979-76, Chevrolet 2007-04, Chevrolet 1988-85, Geo 1993-89, Isuzu 1993-81, Pontiac 2008-05
W1-474		General Motors 9590474	M12-1.50 Serrated Wheel Stud - 12.70mm Knurl, 34.5mm Length	Buick 1998-88, Chevrolet 2001-90, Oldsmobile 2002-88, Pontiac 2003-88
W2-178		Saab 09595178 General Motors 21011114 Isuzu 8095904750 Isuzu 8095904760 Isuzu 8095951780	M12-1.50 Serrated Wheel Stud - 12.73mm Knurl, 41.5mm Length	General Motors 2016-79, Honda 1995-94, Isuzu 2008-06, Isuzu 2000-90, Saab 2009-05
W1-306		General Motors 15158306 Isuzu 8151583060	M12-1.50 Serrated Wheel Stud - 12.73mm Knurl, 50.86mm Length	Buick 2005-04, Chevrolet 2006-02, GMC 2005-02, Isuzu 2005-03, Oldsmobile 2004-02







Aopfast Reference	Image	Part Interchanges	Size	Fits Vehicles
W3-062		Ford 6E5Z1104AB Ford 7E5Z1107A Mazda GJ6A33062 Ford AE5Z1107A Mazda F15133062	M12-1.50 Serrated Wheel Stud - 12.80mm Knurl, 43.75mm Length	Ford 2012-06, Lincoln 2012-06, Mazda 2015-03, Mercury 2011-06
W1-179		General Motors 9595179 General Motors 9599302	M12-1.50 Serrated Wheel Stud - 12.80mm Knurl, 54mm Length	Buick 2022-12, Cadillac 2019-13, Chevrolet 2022-10, Hummer 2010-06
W3-113		Kia 0K01126113B Mazda 147226113 Mazda 185426113A Mazda 185433062A Mazda 859526113	M12-1.50 Serrated Wheel Stud - 12.90mm Knurl, 37.5mm Length	Ford 1992-89, Kia 2002-95, Mazda 1993-74, Mercury 1994-91, Mercury 1989-87
W3-063		Kia 0K01133063B Kia 0K99333062A Kia 0K99333062B Hyundai 5175207000 Kia 5175207000 Mazda LA0133062	M12-1.50 Serrated Wheel Stud - 12.90mm Knurl, 46mm Length	Mazda MPV 2001-00, Mazda MPV 1998-89
W3-611		Mazda FB0126113 Mazda FB0126113A	M12-1.50 Serrated Wheel Stud - 12.90mm Knurl, 56mm Length	Mazda RX-7 1988-86
W3-062		Mazda B00133062A Mazda B09233062A Mazda B09233062B Ford E7GZ1107A Mazda G21133062	M12-1.50 Serrated Wheel Stud - 12.95mm Knurl, 36mm Length	Mazda 1989-81, Mercury 1994-91, Mercury 1989-87
W3-306		Mazda 859633062	M12-1.50 Serrated Wheel Stud With Clip Head - 13.06mm Knurl, 42.5mm Length	Mazda B2000 1987-86, Mazda B2200 1993-87, Mazda B2600 1993-87
W3-400		Hyundai 5271222000 Hyundai 5271229400 Hyundai 5275233700 Mazda B45533062 Ford E92Z1107B	M12-1.50 Serrated Wheel Stud - 12.929 mm Knurl, 42 mm Length	Dodge 2007-00, Ford 2011-89, Hyundai 2006-94, Kia 2007-04, Mazda 2015-88, Mercury 2002-91







Aopfast Reference	Image	Part Interchanges	Size	Fits Vehicles
W3-613		Mazda FB0526113 Mazda FB0526113A	M12-1.50 Serrated Wheel Stud - 13.08mm Knurl, 52mm Length	Mazda RX-7 1991-86
W1-110		Ford YS4Z1107AA	M12-1.50 Serrated Wheel Stud - 13.2mm Knurl, 36.46mm Length	Ford Focus 2011-00
W1-117		Ford 1W4Z1107AA Ford 6W4Z1107AA	M12-1.50 Serrated Wheel Stud - 13.25mm Knurl, 51.63mm Length	Ford Thunderbird 2005-02, Lincoln LS 2006, Lincoln LS 2003-00
W1-062		Ford 6L8Z1107A Mazda EC0133062 Mazda EC0233062 Mazda ZC033062	M12-1.50 Serrated Wheel Stud - 13.31mm Knurl, 51.50mm Length	Ford Escape 2012-07, Mazda Tribute 2011-08, Mazda Tribute 2006-01, Mercury Mariner 2011-07
W1-170		Ford E6DZ1107A Ford F1SZ1107A Ford F2DZ1107A Ford F58Z1107AA Ford F5SZ1107AA	M12-1.50 Serrated Wheel Stud - 13.41mm Knurl, 51.5mm Length	Ford 1998-91, Ford 1989-83, Lincoln 1998-92, Lincoln 1989-88, Mercury 1997-91, Mercury 1989-83
W1-Z11		Ford E7DZ1107A Ford F0DZ1107B	M12-1.50 Serrated Wheel Stud - 13.46mm Knurl, 48mm Length	Ford 1995-90, Lincoln 1991- 90, Mercury 1994-90
W1-505		Volvo 13599055	M12-1.50 Serrated Wheel Stud - 13.50mm Knurl, 47mm Length	Volvo 1998-88
W1-354		Chrysler 4723354	M12-1.50 Serrated Wheel Stud - 13.51mm Knurl, 41mm Length	Chrysler 1997, Chrysler 1995-90, Dodge 1995-89, Plymouth 1995-89







Aopfast Reference	Image	Part Interchanges	Size	Fits Vehicles
W1-Z10		Ford YL8Z1107BA	M12-1.50 Serrated Wheel Stud - 13.56mm Knurl, 50.75mm Length	Ford Escape 2006-01, Mercury Mariner 2006-05
W1-7BA		Ford F0DZ1107A Ford F8DZ1107BA	M12-1.50 Serrated Wheel Stud - 13.59mm Knurl, 46mm Length	Ford Sable 2001-94, Ford Taurus 2000-90, Lincoln Continental 1992-90, Mercury Sable 2000-90
W1-S11		Ford E9SZ1107A	M12-1.50 Serrated Wheel Stud With Clip Head - 13.59mm Knurl, 46.5mm Length	Ford Thunderbird 1990-89, Mercury Cougar 1990-89
W1-D11		Ford E3FZ1107A Ford F3DZ1107A Ford F8DZ1107AA	M12-1.50 Serrated Wheel Stud With Clip Head - 13.82mm Knurl, 49mm Length	Ford 2001-93, Lincoln 2000-93, Mercury 2003-93
W1-F11		Ford 1F1Z1107AA Ford 3F1Z1107AA	M12-1.50 Serrated Wheel Stud With Clip Head - 13.89mm Knurl, 48.73mm Length	Ford Taurus 2007-01, Ford Windstar 2003-99, Lincoln Continental 2002-01, Mercury Sable 2005-01
W1-7XF		Ford XF1Z1107BA	M12-1.50 Serrated Wheel Stud - 13.95mm Knurl, 55.25mm Length	Ford Taurus 2007-00, Lincoln Continental 2002-99, Mercury Sable 2005-00
W3-900		Mitsubishi MU159003	M12-1.50 Serrated Wheel Stud - 14mm Knurl, 43.8mm Length	Mitsubishi Montero 2006-01
W1-174		General Motors 362005 Chrysler 4746174 Chrysler 5204272 Chrysler 5204272AB	M12-1.50 Serrated Wheel Stud - 14.10mm Knurl, 38.5mm Length	Chrysler 2010-78, General Motors 1987-76







Aopfast Reference	Image	Part Interchanges	Size	Fits Vehicles
W3-034		Chrysler 6503835 Isuzu 8970819430 Toyota 9094202034 Toyota 9094202052 Mitsubishi MB393409 Mitsubishi MB584750	M12-1.50 Serrated Wheel Stud - 14.3mm Knurl, 44.5mm Length	Toyota, Lexus, Mitsubishi, Isuzu, Dodge
W3-017		Toyota 9094202017 Toyota 9094202037 Toyota 9094202049 Toyota 9094202070 Toyota 9094202082	M12-1.50 Serrated Wheel Stud - 14.20mm Knurl, 40mm Length	General Motors 2010-85, Toyota 2023-73V
W3-079		Toyota 9094202079	M12-1.50 Serrated Wheel Stud - 14.20mm Knurl, 44.10mm Length	Lexus 2022-03, Toyota 2023- 00
W3-078		General Motors 88970103 Toyota 9094202078	M12-1.50 Serrated Wheel Stud - 14.20mm Knurl, 55mm Length	Pontiac Vibe 2006-03, Toyota Matrix 2006-03
W3-014		Daihatsu 9004912053000 Toyota 9094202014 Toyota 9094202021 Toyota 9094202032 Toyota 9094202035	M12-1.50 Serrated Wheel Stud - 14.22mm Knurl, 37mm Length	Daihatsu 1992-90, Lexus 2003-90, Scion 2006-04, Toyota 2019-68
W1-368		General Motors 361368	M12-1.50 Serrated Wheel Stud - 14.22mm Knurl, 37.5mm Length	Chevrolet Chevette 1987-76, Pontiac T1000 1987-81
W3-120		Hyundai 5174211100 Mitsubishi 5174211120 Hyundai 5174211130 Mitsubishi MB057603	M12-1.50 Serrated Wheel Stud - 14.30mm Knurl, 35.5mm Length	Dodge 2000-97, Dodge 1985- 79, Hyundai 2001-87, Mitsubishi 1994-83, Plymouth 1985-79
W3-202		Hyundai 5271222200 Hyundai 5275233500 Daihatsu 9004912055000 Mitsubishi MA123234 Mitsubishi MA125873	M12-1.50 Serrated Wheel Stud - 14.30mm Knurl, 41.5mm Length	Chrysler 1995-71, Daihatsu 1992-88, Hyundai 2005-94, Mitsubishi 1999-83







Aopfast Reference	Image	Part Interchanges	Size	Fits Vehicles
W3-010		Isuzu 8973107010	M12-1.50 Serrated Wheel Stud - 14.30mm Knurl, 43mm Length	Isuzu Amigo 1998, Isuzu Axiom 2004-03, Isuzu Rodeo 2004-02, Isuzu Rodeo Sport 2003-02
W3-044		Toyota 9094202044 Toyota 9094202053	M12-1.50 Serrated Wheel Stud - 14.46mm Knurl, 52.5mm Length	Toyota 4Runner 1985-84, Toyota Land Cruiser 1983-81, Toyota Pickup 1986-82
W1-710		Honda 8942232000 General Motors 89422320002 Isuzu 8942232002 Isuzu 8972138710 Toyota 9094202076	M12-1.50 Serrated Wheel Stud - 14.35mm Knurl, 37.5mm Length	Mitsubishi Mighty Max (1983-1996) Honda Passport (1994-2002) Acura SLX (1996-1999) Chevrolet LUV (1975-1981, 1997-2005)
W2-178		BMW 33413604178 Hyundai 5275237000 Isuzu 8423316012 General Motors 94020626 Isuzu 9423316011	M12-1.50 Serrated Wheel Stud - 14.35mm Knurl, 42.5mm Length	Acura 1999-96, BMW 1976-68, Chevrolet 2005-97, Chevrolet 1981-72, Hyundai 2006-01, Isuzu 2000-81
W3-102		Mitsubishi 3880A001 Hyundai 5175236000 Hyundai 5175236102 Hyundai 5175238010 Mitsubishi MB303869	M12-1.50 Serrated Wheel Stud - 14.38mm Knurl, 45mm Length	Chrysler 2022-07, Chrysler 2005-85, Hyundai 2005-89, Kia 2006-01, Mitsubishi 2022-85
W3-765		BMW 33411106765 Mitsubishi MB633778	M12-1.50 Serrated Wheel Stud - 14.40mm Knurl, 47mm Length	BMW 1976-68, Mitsubishi 1994-92
W3-107		Ford E3FZ1107B Ford E43Z1107A	M12-1.50 Serrated Wheel Stud - 14.45mm Knurl, 42mm Length	Ford 1994-83, Lincoln 1989-88, Mercury 1994-83
W3-517		Hyundai 5175237000 Hyundai 5175239000	M12-1.50 Serrated Wheel Stud - 14.48mm Knurl, 49.19mm Length	Hyundai Santa Fe 2004-01, Hyundai Tiburon 2007-03, Hyundai XG300 2001







Aopfast Reference	Image	Part Interchanges	Size	Fits Vehicles
W1-486		Chrysler 6506486AA	M12-1.50 Serrated Wheel Stud With Clip Head - 14.60mm Knurl, 44.50mm Length	Chrysler Cirrus 2006-01, Chrysler Sebring 2006-01, Dodge Stratus 2006-01
W1-532		Chrysler 6506532AA Chrysler 6506730AA	M12-1.50 Serrated Wheel Stud With Clip Head - 14.77mm Knurl, 43.75mm Length	Chrysler 2010-01, Chrysler 1996, Dodge 2006-01
W1-Z10		Ford F50Z1107AA Ford F7DZ1107AA Ford XF1Z1107AA Ford XF1Z1107AB	M12-1.50 Serrated Wheel Stud - 14.86mm Knurl, 52.2mm Length	Ford 2007-96, Lincoln 1999-95, Mercury 2005-96
W1-053		Chrysler 6501053 Chrysler 6501268 Chrysler 6503067 Chrysler 6503288 Mazda B01Y33062	M12-1.50 Serrated Wheel Stud With Clip Head - 14.94mm Knurl, 41mm Length	Chrysler 2000-82, Dodge 2001-81, Mazda 2005-93, Plymouth 2001-81
W1-311		Chrysler 6502311 Chrysler 6505519AA	M12-1.50 Serrated Wheel Stud - 14.99mm Knurl, 46mm Length	Chrysler 2008-93, Dodge 2007-93, Plymouth 2001-93
W1-1S7		Ford F3SZ1107A	M12-1.50 Serrated Wheel Stud - 15.42mm Knurl, 51mm Length	Ford Cougar 1995-93, Ford Thunderbird 1997-93, Lincoln Mark VIII 1998-93, Mercury Cougar 1997-93
W1-9SZ		Ford E9SZ1107C	M12-1.50 Serrated Wheel Stud - 15.55mm Knurl, 46.5mm Length	Ford Thunderbird 1992-89, Mercury Cougar 1992-89
W1-247		Chrysler 6502247	M12-1.50 Serrated Wheel Stud - 15.925 mm Knurl, 44 mm Length	Chrysler 1992-91, Dodge 1992-91, Plymouth 1992-91







Aopfast Reference	Image	Part Interchanges	Size	Fits Vehicles
W2-576		Volvo 35160576	M12-1.50 Serrated Wheel Stud With Clip Head - 16.10mm Knurl, 41.25mm Length	Volvo 940 1993-91
W2-953		Volvo Cars 12092953 Volvo Cars 35160571	M12-1.50 Serrated Wheel Stud - 16.18mm Knurl, 44mm Length	Volvo 1998-83
W1-891		Chrysler 6504891AA	M12-1.50 Serrated Wheel Stud - 16.24mm Knurl, 44.45mm Length	Chrysler 300M 2004-02, Chrysler Concorde 2004-02, Chrysler Intrepid 2004-02, Dodge Intrepid 2004-02
W1-F65		Ford F65Z1107BB Ford F65Z1107DD	M12-1.75 Serrated Wheel Stud - 14.63mm Knurl, 54.5mm Length	Ford 2004-97
W1-104		Ford N808822S104	M12-1.75 Serrated Wheel Stud - 14.68mm Knurl, 51.60mm Length	Ford F-150 2003-01, Ford F-150 Heritage 2004, Ford F-250 2004-01, Ford F-250 1999, Ford Lobo 2004-01
W1-65Z		Ford F65Z1107AA Ford F65Z1107CC Ford F85Z1107JJ	M12-1.75 Serrated Wheel Stud - 14.75mm Knurl, 51mm Length	Ford 2004-97, Lincoln 2000-98
W2-422		Volkswagen 211501627A Peugeot 371422	M14-1.50 Serrated Wheel Stud - 14.94mm Knurl, 35.5mm Length	Volkswagen 2001-93, Volkswagen 1991-80
W1-809		General Motors 11588809 General Motors 15732582 General Motors 11571093	M14-1.50 Serrated Wheel Stud - 15.87mm Knurl, 80.25mm Length	Chevrolet 2010-99, GMC 2010-99







Aopfast Reference	Image	Part Interchanges	Size	Fits Vehicles
W1-380		General Motors 11588810 General Motors 15037207 General Motors 15112380	M14-1.50 Serrated Wheel Stud - 15.70mm Knurl, 65.4mm Length	Cadillac 2020-02, Cadillac 2000, Chevrolet 2023-99, GMC 2023-99, Hummer 2009-03
W1-274		General Motors 9593274 General Motors 9593275 General Motors 9593421	M14-1.50 Serrated Wheel Stud - 15.72mm Knurl, 52.7mm Length	Cadillac DeVille 1999-97
W1-040		General Motors 12338040	M14-1.50 Serrated Wheel Stud - 15.88mm Knurl, 43mm Length	Cadillac 1999, Chevrolet 2002-88, GMC 2002-88
W1-073		General Motors 12338073 General Motors 15589423	M14-1.50 Serrated Wheel Stud - 15.88mm Knurl, 43mm Length	Cadillac 1997, Chevrolet 2002-88, GMC 2002-88
W1-057		General Motors 12338057 General Motors 15522061	M14-1.50 Serrated Wheel Stud - 15.88mm Knurl, 49mm Length	Chevrolet 2002-88, GMC 2002-88
W1-356		General Motors 15545356	M14-1.50 Serrated Wheel Stud - 15.88mm Knurl, 76mm Length	Chevrolet 2002-88, GMC 2002-88
W1-493		General Motors 15589493	M14-1.50 Serrated Wheel Stud - 15.88mm Knurl, 90.5mm Length	Chevrolet 2002-88, GMC 2002-88
W1-261		General Motors 15734261	M14-1.50 Serrated Wheel Stud - 15.96mm Knurl, 57.94mm Length	Chevrolet 2008-01, GMC 2008-01







Aopfast Reference	Image	Part Interchanges	Size	Fits Vehicles
W1-751		General Motors 88891751	M14-1.50 Serrated Wheel Stud - 15.96mm Knurl, 76.19mm Length	Chevrolet Express 3500 2002, GMC Savana 3500 2002
W1-455		General Motors 15589455	M14-1.50 Serrated Wheel Stud - 15.93mm Knurl, 46mm Length	Chevrolet 2002-88, GMC 2002-88
W1-060		General Motors 12338060 General Motors 15579190	M14-1.50 Serrated Wheel Stud - 16.00mm Knurl, 45.5mm Length	Cadillac 2000-99, Chevrolet 2000-88, GMC 2000-88
W1-456		General Motors 15589456 General Motors 88891742	M14-1.50 Serrated Wheel Stud - 16.00mm Knurl, 53.5mm Length	Chevrolet 2002-88, GMC 2002-88
W1-948		General Motors 15589486	M14-1.50 Serrated Wheel Stud - 16.00mm Knurl, 54.5mm Length	Chevrolet 2000-88, GMC 2000-88
W1-811		General Motors 11588811 General Motors 15027048	M14-1.50 Serrated Wheel Stud - 16.01mm Knurl, 57.93mm Length	General Motors 2023-99, Saab 2011-10
W1-808		General Motors 11588808 General Motors 15741981	M14-1.50 Serrated Wheel Stud - 16.06mm Knurl, 103.96mm Length	Chevrolet 2023-01, GMC 2023-01
W3-058		Toyota 9094202058 Toyota 9094202068	M14-1.50 Serrated Wheel Stud - 16.51mm Knurl, 37.5mm Length	Toyota Pickup 1994-87




Aopfast Reference	Image	Part Interchanges	Size	Fits Vehicles
W1-3Z1		Ford: YL3Z1107AA, YL3Z1107AB	M14-2.0 Serrated Wheel Stud - 15.5mm Knurl, 57.93mm Length	Ford 2014-00, Lincoln 2014-00
W1-107A		Ford:F81Z1107AC	M14-2.0 Serrated Wheel Stud - 15.78mm Knurl, 73.3mm Length	Ford Excursion 05-00; F-250 Super Duty 03-99; F-350 Super Duty 02-99; F-450 Super Duty 04-99; F-550 Super Duty 04-99
W3-165		KIA: 0K30C37165A		2002-2001 Kia Rio Front, 2002-2001 Kia Rio Rear
W1-107C		Ford: E8BZ1107C, F4BZ1107A		1993-1988 Ford Festiva Front, 1993-1988 Ford Festiva Rear, 1997-1994 Ford Aspire Front, 1997-1994 Ford Aspire Rear
W2-270		MERCEDES-BENZ201-401-02-70 MERCEDES-BENZ210-401-02-70 VOLKSWAGEN321 601 139	M12-1.50 Wheel Bolt - 17mm Hex, 19mm Thread Length	Mercedes-Benz: SL500, C230, C220, 500SL
W2-139		Volkswagen: 321601139A	M12-1.50 x 22mm	AUDI 87-80, SEAT 02-01, VOLKSWAGEN 02-74, VOL
W2-070		MERCEDES-BENZ 1084010070	M12-1.50 Wheel Bolt - 17mm Hex, 29mm Thread L	MERCEDES-BENZ 85-73
W2-191		BMW 36131126191 BMW 36136781150 Saab 4398277 Saab 4908067 General Motors 90342774	M12-1.5 Wheel Bolt - 17mm Hex, 23mm Length	BMW 2006-75, General Motors 2019-91, Saab 2011-94



Aopfast Reference	Image	Part Interchanges	Size	Fits Vehicles
W1-514		Renault 7700668275 General Motors 90092514 Renault T0668275	M12-1.50 Wheel Bolt - 19mm Hex, 24mm Thread Length	Eagle Medallion 1989-88, Pontiac LeMans 1993, Pontiac LeMans 1990-88
W1-165		Mazda 102933165 Mazda 853133165 Mazda 853233165 Mazda FA4633165P01	M12-1.50 Wheel Bolt - 21mm Hex, 21mm Thread Length	Mazda 1985-71
W1-515		Volvo 35466515 Volvo 91575829	M12-1.75 Wheel Bolt - 19mm Hex, 28mm Thread Length	Volvo 850 1997-93, Volvo C70 2005-98, Volvo S70 2000-98, Volvo V70 2000-98
W1-990		Volvo 35468990	M12-1.75 Wheel Bolt - 19mm Hex, 29.60mm Thread Length	Volvo 850 1997-93, Volvo C70 2005-98, Volvo S70 2000-98, Volvo V70 2000-98
W1-139		Volkswagen 4D0601139A	M14-1.50 Wheel Bolt - 17mm Hex, 22.30mm Thread Length	Audi 2008-01, Volkswagen 2006-04
W1-443		VW431601139C VW 443601139A VW443601139D Porsche 447601139B Porsche 477601139 Porsche 477601139B	M14-1.50 Wheel Bolt - 17mm Hex, 26mm Thread Length	Audi 2023-78, Porsche 1982-77, Seat 2018-00, Volkswagen 2023-90
W1-251		Volkswagen 211601139 Volkswagen 251601139 Volkswagen 281601139	M14-1.50 Wheel Bolt - 19mm Hex, 20mm Thread Length	Porsche 1976-70, Volkswagen 2004-60
W2-149		Volkswagen 255601139 Saab 4645149 Saab 8958043 Saab 8965907	M14-1.50 Wheel Bolt - 19mm Hex, 27mm Thread Length	1988-1993 Saab 900, 1986-1998 Saab 9000, 1986-1991 Volkswagen Vanagon



Aopfast Reference	Image	Part Interchanges	Size	Fits Vehicles
W1-150		General Motors 2162150	Double Ended Wheel Stud 5/8-11 Length 2-5/8 In.	
W3-056		Toyota 9094202056 Toyota 9094202066	M14-1.50 Double Ended Wheel Stud - 16.51mm Knurl, 69mm Length	Toyota Pickup (1984-1994)